RockHold Stain-Free Epoxy Grout

Product Standard: ISO 13007 RG / ANSI A118.3

PRODUCT DESCRIPTION

Stain-free 3-component impervious tile joint epoxy grout for high-traffic, chemical-resistant, and hygienic areas.

TECHNICAL SPECIFICATIONS

Property / Parameter	Specification / Value
Base Resin	Epoxy Resin & Polyamide Hardener
Mixing Ratio	0.9 : 0.1 (Resin : Hardener)
Pot Life	35 - 45 Minutes
Working Time	1 Hour
Tack Free Time	6 - 7 Hours
Heavy Traffic	72 Hours
Bond Strength	7.55 MPa
Compressive Strength	50.45 MPa
Tensile Strength	15.25 MPa